

A worker in a white protective suit, mask, and gloves is using a spray gun to apply material to a concrete wall. A yellow hose is connected to the unit. The scene is set on a concrete staircase.

ACCESSORIES **for WAGNER units**

BE UNSTOPPABLE!

AIRLESS GUNS - QUALITY FOR EVERYDAY WORK

Besides the spraying unit, the gun is the centrepiece of every spraying application. WAGNER offers five basic models for all applications: painting with heated material, emulsion work, heavy corrosion or high viscosity airless filler. All guns are made of high quality stainless steel, guaranteeing a long life even with daily use.

VARIOUS MODELS - SUITABLE FOR EVERY APPLICATION



Vector Infinity is the PREMIUM gun. Perfect ergonomics with All-Day trigger, long lifespan and significantly lower maintenance costs allow a use of several hours a day. Anti-corrosion paints can also be processed.

AIRLESS GUN VECTOR INFINITY	ART. NO.
Vector Infinity with G-thread 1/4", incl. TradeTip 3 nozzle holder, 34.5 MPa with 2-finger trigger and adaptable hand grip	0538085
Small grip, for customization to any hand, for Vector Infinity	0538264
Medium grip, for customization to any hand, for Vector Infinity	0538265
Large grip, for customization to any hand, for Vector Infinity	0538266



Vector Grip fits perfectly in the hand and is suitable for applications with TempSpray.

AIRLESS GUN VECTOR GRIP	ART. NO.
Vector Grip with G-thread 1/4", incl. TradeTip 3 nozzle holder, 25 MPa with 2- and 4-finger trigger and medium-sized grip	0538043
Small grip, for customization to any hand, for Vector Grip	0538228
Medium grip, for customization to any hand, for Vector Grip	0538229
Large grip, for customization to any hand, for Vector Grip	0538230



Vector Pro is the perfect entry level gun.

AIRLESS GUN VECTOR PRO	ART. NO.
Vector Pro with G-thread 1/4", incl. TradeTip 3 nozzle holder, 25 MPa with 4-finger trigger	0538040
Vector Pro with G-thread 1/4", incl. TradeTip 3 nozzle holder, 25 MPa with 2-finger trigger	0538041

VECTOR



F-thread
(11/16")



G-thread
(7/8")

RECOMMENDED!
WAGNER recommends G-thread guns and accessories. The G-thread is the most common thread on the market and is used most frequently.



AG 14 is the all-rounder among Airless guns and also sprays high viscosity materials.

AIRLESS GUN AG 14 WITH 4-FINGER TRIGGER	ART. NO.
AG 14 with G-thread 1/4", 27 MPa, incl. TradeTip 3 nozzle holder	0502081A



25 MPa
(250 bar)

53 MPa
(530 bar)

AG 19 is particularly suitable for highly viscous materials.

FILLER AIRLESS GUN AG 19 WITH 4-FINGER TRIGGER	ART. NO.
AG 19 with G-thread 3/8", 25 MPa	2341127
HIGH-PRESSURE AIRLESS GUN AG 19 WITH 4-FINGER TRIGGER	ART. NO.
AG 19 with G-thread 1/4", 53 MPa	2343778

AIRLESS NOZZLES

The key component

Airless spray tips are a key component to the successful operation of an airless spray system.


They define the spray pattern, control the flow, atomize the coating and ultimately tell the pump how hard it must work. A proper understanding of airless tips is critical to the success of any airless application.




EXAMPLES FOR UNDERSTANDING AIRLESS TIPS

It is important to remember that the orifice size, in conjunction with the fan-width, determines the spray characteristics of the tip.

Example A:
The larger the orifice with the same fan width, the greater the volume of paint applied to the area.



Example B:
The larger the fan width with the same orifice means the same amount of material is being applied over a greater paint per square cm.




TIP CHARACTERISTICS AND THEIR SURFACE EFFECT

In order to achieve a professional surface finish and to avoid nozzle plugging, the nozzle should always be removed from the surface. The material to be processed can be selected accordingly. The choice of nozzle and spray jet width also influences material consumption and working time. Whether your nozzle is still in good condition or is already worn out can be seen from the spray pattern. The spray pattern diagram below illustrates how wear can have a negative effect on the spray pattern. The more worn the nozzle is, the narrower and more punctual the spray jet becomes. This not only results in an unprofessional surface result, but also in increased material consumption and uneven material application, as the flow rate increases and surfaces have to be processed several times. How quickly a nozzle wears out depends on the materials used.

HOW A TIP FAN PATTERN TYPICALLY WEARS

TRADETIP 3 WITH NOZZLE MARKING 517			
Spray pattern			
Nozzle 517	Worn to 419	Worn to 321	Worn to 223
Flow rates			
1.17 l/min	1.47 l/min	1.78 l/min	2.15 l/min
Flow rate increase			
0 %	26 %	52 %	84 %

Nozzle angle: The nozzle angle determines the width of the spray angle, e.g. in this case 50°.



The ideal distance from the object is always around 300 mm.



Orifice diameter: The orifice diameter (in this case, 0.017 inch) determines the flow volume and thus the amount of paint applied.



Included in the set: Purchase a WAGNER nozzle and receive the matching gun filter and a double seal for FREE.

The heart of the spraying process



Art. no

Art. no. 553xxx

[illegible]

Art. no. 554xxx

		Oroface size (inch)										Spray angle in °				
		0.011			0.013			0.015		0.017			0.019		0.021	
Spray pattern (mm)*	120	211			213											20
	150	311			313											30
	190	411			413			415		417				421		40
	225							515		517		519		521		50
	270							615		617		619		621		60
Flow rate (l/min)**		0.45			0.68			0.91		1.17		1.47		1.78		
Filter		red						yellow				white				



Art. no. 554xxx

		Orifice size (inch)				
		0.008	0.010	0.012	0.014	
Spray pattern (mm)*	120	208	210	212	214	20
	150	308	310	312	314	30
	190	408	410	412	414	40
	225		510	512	514	50
Flow rate (l/min)**		0.26	0.42	0.6	0.79	
Filter		red				

7

2SPEEDTIP

2 nozzles in one

WAGNER's innovative reversible nozzle combines two nozzle cores in a single nozzle. Simply rotate to select the appropriate nozzle size. This allows optimal adjustment to the surface to be coated and brings an additional timesaving benefit. The colour identification on the nozzle also indicates the matching gun filter insert.



<div></div>	Water and solvent-based lacquers, lacquer paints, oils, separating agents	<div></div>	Synthetic resin varnishes, PVC lacquers, 2K lacquers	<div></div>	Primers, fillers
<div></div>	Fire protection, rust protection paints	<div></div>	Emulsion and latex paints, adhesives, sealants	<div></div>	Exterior paints, roof coatings, floor coatings, textured paint
<div></div>	Structural waterproofing, bituminous coatings	<div></div>	Filler	<div></div>	Plaster




Art. no. 271xxx

AIRLESS 2SPEEDTIP NOZZLES – TWO NOZZLES IN ONE

Orifice size (inch)

Spray pattern (mm)*	Orifice size (inch)												Spray angle in °
	0.008, 0.010	0.010, 0.012	0.012, 0.014	0.011, 0.015	0.011, 0.019	0.015, 0.021	0.015, 0.023	0.017, 0.027	0.025, 0.029	0.027, 0.035	0.039, 0.043	0.043, 0.052	
	100, 190			062	045	046	047	048					10, 40
	120, 225	042	043	044									20, 50
	120, 225									049	050	051	20, 60
Filter	red			white									

Suggestion: 2SpeedTip nozzle have to be used with tip holder (289390 (G)) in combination with 2SpeedTip tip holder (271065).



Art. no. 1009xxx

AIRLESS TWINTIP NOZZLES – ONE NOZZLE, TWO NOZZLE ORIFICES

For fog-free spraying: NESPRI TwinTip nozzles have two nozzle orafices one directly above the other – For a perfect spray pattern with high material throughput even in low pressure ranges. Guaranteed mist-free thanks to the use of the NESPRI spray device in combination with the NESPRI TwinTip and NESPRI paints from Caparol. Different sizes are available to adapt ideally to the relevant environment.

Orifice size (inch)

Spray pattern (mm)*	0.013	0.021	0.023	0.027	Spray angle in °		
	100	215				20	
	110	213***				20	
	130		316	317		319	30
	Filter	white					

*** Monodüse für Beschneidungsarbeiten



Art. no. 90xxx

AIRLESS ADJUSTABLE FAN NOZZLES

Airless standard flat jet nozzle are especially suitable for painting applications, but can be used also for high viscosity materials. They are ideal for the fast processing of large quantities of material. The high-quality nozzles are robust and suitable for all common Airless guns.

Suggestion: Airless standard flat jet nozzles have to be equipped with touch protection (97294) and seal (43052) for flat jet nozzles.

Orifice size (inch)

Spray pattern (mm)*	Orifice size (inch)																
	0.007	0.009	0.011	0.013	0.015	0.017	0.019	0.021	0.023	0.025	0.027	0.030	0.031	0.035	0.039	0.043	0.051
	90			111	115												
	100			211	113	215											
	120			311	213		217		223	225			231	235			
150		209		313		317	219	221			227					243	
160	407	309			315		319										
190	507	409				417	419	421	423	425							
215		509	411	413	415								431				
225		609	511			517					427		531	435			
250					515			521	523	525	527						
270			611	513	615		519			625	627		631	535		543	552
300				613	715	617	619		623			629		635			
330						717	719	621	723		827						
385				813	815			821	823	825							
400							819										
480															839		
Flow rate (l/min)**	0.19	0.34	0.49	0.68	0.91	1.17	1.47	1.78	2.15	2.53	2.95	3.44	3.89	4.99	6.2	7.52	11,0
Filter	red			red/ yellow	yellow		yellow/ white	white			green						

AIRCOAT – THE IDEAL GUN FOR WOOD CRAFT

Brilliant surfaces with AirCoat: The soft atomization guarantees brilliant surfaces and thus ensures perfect painting results. Their low weight, perfect ergonomics and light trigger action ensure maximum operating comfort. Low air consumption saves energy and costs. Versatile use: different air caps allow optimum adaptation to the material.



AirCoat AC 4500 for perfect surface results.

AIRCOAT GUN AC 4500	ART. NO.
AirCoat gun AC 4500, incl. blue air cap and holder	2368269
AirCoat gun AC 4500, incl. green air cap and holder	2368270
AirCoat gun AC 4500, incl. red air cap and holder	2368271



AirCoat AC 4600 for ambitious, comfortable painting work.

AIRCOAT GUN AC 4600	ART. NO.
AirCoat gun AC 4600 Professional, incl. blue air cap and nozzle holder	394156
AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157



AIRCOAT GUN ACCESSORIES	ART. NO.
Air cap blue, for water-based materials (01)	394911
Air cap red, for solvent-based materials (02)	394910
Air cap green, for water-based materials and solvent-based materials (03)	394912
Union nut, complete (04)	394921

AIRCOAT MATERIALS

Only for AirCoat nozzles,
ACF 3000 & ACF 3000 Plus

	Water and solvent-based lacquers, lacquer paints, oils, separating agents		Synthetic resin varnishes, PVC lacquers, 2K lacquers		Primers, fillers
	Fillers, anti-corrosive paints		Fire protection, rust protection paints		Corrosion protection

AIRCOAT NOZZLES ACF 3000



The dome-shaped geometry and high-tech sanding and erosion methods during manufacture ensure extremely fine atomisation with low energy consumption (material pressure). For a long service life and low wear and tear, the nozzle is made from resistant hard metal. The WAGNER AirCoat nozzle ensures brilliant paint finishes: An even spray pattern and extremely gentle graduated borders are guaranteed. This applies to both small and large quantities of atomised air.

Art. no. 379xxx

		Orifice size (inch)									
Spray pattern (mm)*		0.007	0.009	0.011	0.013	0.015	0.017	0.019	0.021	0.023	
	55	107		111	113	115					10
	100	207	209	211	213	215	217	219	221		20
	145	407	309	311	313	315	317	319			30
	195		409	411	413	415	417	419	421	423	40
	250		509	511	513	515	517	519	521		50
	300		609	611	613	615	617	619	621	623	60
	400			811	813	815	817	819	821	823	80
Filter		red			red/yellow	yellow		yellow/white	white		

AIRCOAT RE-ATOMISATION NOZZLES ACF 3000 PLUS




AirCoat pre-atomisation nozzles provide extra fine atomisation even with low inlet air pressure. This is especially important for pro-cessing water- or solvent-based paints. Using a pre-atomisation nozzle allows you to work with less material and air quantity. There is significantly less overspray and material consumption decreases. Compared to the standard AirCoat nozzle the material is pre-atomised directly at the outer edge of the nozzle. The result: an especially even and soft spray pattern.

Art. no. 321xxx

		Orifice size (inch)								
Spray pattern (mm)*		0.008	0.010	0.012	0.014	0.016	0.018	0.020	0.022	
	100	208	210	212	214	216	218			20
	145	308	310	312	314	316	318	320		30
	195	408	410	412	414	416	418	420	422	40
	250	508	510	512	514	516	518			50
	300		610	612	614	616	618	620	622	60
Filter		red		red/yellow		yellow	yellow/white	white		

* Spray width (mm) at approx. 30 cm distance from the object and 100 bar pressure, with synthetic resin paint, 20 DIN seconds

** Measured with water at 12 MPa (120 bar) pressure



GUN FILTER INSERTS

Avoid tip stoppages.

Mesh count	1 piece	10 pieces	Mesh width
30	89323	97025	0.56
50	34377	97024	0.31
100	43235	97023	0.14
180	34383	97022	0.084

rough
↓
very fine

Suggestion: The appropriate filter for each tip can be found in the respective tip tables.



HIGH-PRESSURE FILTER

Avoid work interruptions: Material filtering for large projects.

	ProSpray / HF-01 HD	HeavyCoat/ LineCoat	SuperFinish / HF-01 HD
	ART.-NR.	ART.-NR.	ART.-NR.
0		930-004	
5		930-005	
30	730-067-30		
50		930-006	
60	730-067		
100	730-067-10	930-007	97120*
Supporting shell	757-105		
Supporting disc	702-251		

Mesh count

rough
↓
very fine

* HD filter complete with housing



PRESSURE GAUGE

	ART. NO.
HEA pressure gauge combination complete, with 68 mm diameter	2383995
Pressure gauge combination 25 - 40 MPa (250 - 400 bar), I = 1/4", A = 1/4"	340256
Pressure gauge set = 3/8", A = 3/8"	730-420A

AIRLESS AND AIRCOAT HOSES AND WHIPS

High quality hoses for every application.



ROBUST HIGH-PRESSURE HOSES FOR AIRLESS APPLICATIONS

CONNECTION	7.5 M	10 M	15 M	30 M
DN3, M16 x 1.5	9984584			
DN3, NPS (M) 1/4"	9984583	2301052		
DN4, M16 x 1.5	9984510			
DN4, NPS (M) 1/4"	9984573	2302374		
DN6, M16 x 1.5			9984507	9984562
DN6, NPS (M) 1/4"			9984574	9984575
DN10, PS (M) 3/8"			2336583*	2336584*
DN13, NPS (M) 1/2"			2336585*	

* Max. 25 MPa (250 bar)



HOSES

CONNECTION	1 M	2.5 M
DN5, M16 x 1.5	9984456	
DN5, NPS (M) 1/4"	9984458*	
DN6, M16 x 1.5		9984569
DN10, NPS (M) 3/8"		2336582*

* Max. 25 MPa (250 bar)




FLEXIBLE HOSES FOR AIRCOAT APPLICATIONS

CONNECTION	7.5 M	10 M
DN3, M16 x 1.5 + DN6 air hose	2306802	
DN3, NPS (M) 1/4" + DN6 air hose	9984595	9984596
DN4, M16 x 1.5 + DN6 air hose	2306803	
DN4, NPS (M) 1/4" + DN6 air hose	2302378	2302379
CONNECTION	8 M	10.5 M
1/4" air hose	2304449	2304451

DOUBLE CONNECTORS AND ADAPTER

The right connection for every project.



DOUBLE CONNECTOR

		NPS (M)				NPT				
		1/4"	3/8"	1/2"	3/4"	1/8"	1/4"	3/8"	1/2"	3/4"
NPS (M)	1/4"	34038	367561			490-001	227-006	812-003		
	3/8"		256343	814-005	9985783		804-555	808-555	814-005	
	1/2"			814-006	9985782		814-003	815-005	228-002	814-555
	3/4"				9985781					
NPT	1/4"						5045	490-006	9885644	
	3/8"							814-004	814-005	
	1/2"						814-003		814-006	
	3/4"									814-007

SUGGESTION: NPS (M) and NPT are compatible.

NPSM
hose to hose

Distributor to
hose

Distributor to
distributor



ADAPTER

		Inner							
		NPS (M)			M	G			
		1/4"	3/8"	1/2"	M16 x 1.5	G 1/4"	G 3/8"	G 1/2"	
Outer	NPS (M)	1/4"		2325928	2325929*	97201	2332619	2332621	
		3/8"	179732		2325930**	97204		2332620	2332623***
		1/2"	2302993						
	M	M16 X 1.5	34041	367563				115378	
		M20 X 2				118231			
	G	G 1/4"	179247						
		G 3/8"				377342	2353265		
		G 1/2"				349256			

* HC 1/2" to 1/4" (Emulsion) ** HC 1/2" to 3/8" (Plaster) *** PC HP 30 (Emulsion)

NOZZLE EXTENSIONS AND HOLDERS



NOZZLE EXTENSIONS, G-THREAD	ART. NO.
Nozzle extension, with holder, without nozzle, 12,5 cm	2418853
Nozzle extension, with holder, without nozzle, 25 cm	2418854
Nozzle extension, with holder, without nozzle, 50 cm	2418855
Nozzle extension, with holder, without nozzle, 75 cm	2418856



NOZZLE EXTENSION WITH SWIVELLING KNEE JOINT, G-THREAD	ART. NO.
Knee joint	538246



AIRLESS NOZZLE HOLDER, G-THREAD	ART. NO.
Nozzle holder, for TradeTip 3 nozzles (01)	289390
High Pressure nozzle holder, for TradeTip 3 nozzles	289395
2SpeedTip nozzle holder (02)	271065
Nozzle holder (yellow), for low overspray, for Nespri TwinTip nozzles	1006002



POLE GUNS, G-THREAD	ART. NO.
Pole gun 120 cm, 1/4" nozzle holder	296441
Pole gun 200 cm, 1/4" nozzle holder	296442




SPRAYASSISTANT	ART.-NO.
SpeedShield	538907



ADAPTER	ART. NO.
Adapter G to F-thread, 7/8" to 11/16"	2405153
Adapter F to G-thread, 11/16" to 7/8"	2389689

HOSE REELS



HOSE REELS	ART. NO.
Hose reel HR30 (01), M16x1.5; for 30m HD-hose; usable for SF23 Plus / SF 27 / SF 31	341910
Hose reel HR30, 1/4" NPS, for 30 m HD-hose, usable for SF 33	2392523
Hose reel HR45 (02), incl. 30 m HP hose DN6, for all diaphragm and piston pumps	341912

TEMPERATURE CONTROLLED SPRAYING -
OPTIMISED PAINT APPLICATION

Heating up the material in the hose of the TempSpray products improves the spray properties of many materials like impregnations and coatings up to airless filler. To make coating materials sprayable they usually have to be diluted. Thanks to the heating hose system not only can the solvents be reduced but also the applied film thicknesses can be increased. But these are only a few of this innovative system's many advantages. TempSpray products can be adapted to all Airless units and thus offer a wide field of use.



TEMPERATURE CONTROLLED SPRAYING	ART. NO.
TempSpray H 126 Spraypack (01), 10 m, for paint jobs	2311852
TempSpray H 226 Spraypack (02), 15 m, for emulsions and latex paints	2311853
TempSpray H 326 Spraypack (03), 30 m, for emulsions and latex paints	2311854



AIRCOAT COMPRESSORS



COMPRESSORS	ART. NO.
Compressor AirBoost 100 (01), for SF 23 Plus	2347935
Suction filter, for compressor AB 100	2348863
Fan filter, 5 pieces, for compressor AB 100	2351461

PUMPRUNNER – THE CLEANEST SOLUTION

This practical aid for airless units is simply placed over the intake tube, filled with water and secured airtight. In this way, it prevents the valves from drying out and sticking. No mess, no fuss, even during transport.



Quick commissioning
No drying out and sticking of the valves: If the unit is not used for a lengthy period, the airtight conservation preserves its operating capability. It can also be put back into operation immediately after long work breaks or a change of building site.

Clean transport
The PumpRunner encloses the intake system absolutely airtight and reliably prevents the escape of paint. Your vehicle fleet stays spotlessly clean!



Easy cleaning
It doesn't get any easier: The PumpRunner is placed over the suction tube, filled with water and secured airtight with the two clamping levers. In addition we recommend EasyClean, as a useful aid to cleaning and conserving.



PUMPRUNNER	ART. NO.
PumpRunner, for SF 23 Plus/ SF 27 / SF 31 / SF 33 Plus / PS 3.25 on cart / PS 3.31 / PS 3.34	2306987

SUITABLE FOR THE FOLLOWING AIRLESS UNITS

DIAPHRAGM PUMPS WITH RIGID SUCTION SYSTEM	PISTON PUMPS WITH RIGID SUCTION SYSTEM
SuperFinish 23 Plus	ProSpray 3.25 on cart
SuperFinish 33 Plus	ProSpray 3.29
NESPRI Plus	ProSpray 3.31
NESPRI Pro	ProSpray 3.34



TIPCLEAR – PROFESSIONAL AND QUICK CLEANING

With TipClean you can clean your nozzles contactless anywhere at anytime. Whether in a workshop, at a construction site or in a vehicle, simply open the cover and place the nozzles into the container. The cleaner is specially developed for nozzles and achieves perfect results. It is also available in a practical refill bottle.

Easy cleaning: due to the special shape of the container.



Optimal: for all TradeTip 2, TradeTip 3, HEA and 2SpeedTip nozzles.

Safely stored: your nozzles also will be safely stored in the practical container.

Refill bottle TipClean 1 litre



Removes contamination and paint residues: 200 ml of ready to use special nozzle cleaning fluid provides clean nozzles.

TIPCLEAR	ART. NO.
TipClean nozzle cleaning agent, 200 ml	2400214
TipClean nozzle cleaning agent, 24 x 200 ml	2400215
TipClean nozzle cleaning agent, refill bottle, 1 litre	2400216

THIS IS HOW EASILY IT WORKS:



CLEANING / STORAGE / OPERATING MATERIALS



EASYSOIL	VOLUME	ART. NO.
EasyClean (01), cleaning and conservation agent (anti-freeze)	1 l	2412656

EASYGLIDE	VOLUME	ART. NO.
EasyGlide (02), lubricant for piston pumps	118 ml	508619

HYDRAULIC OIL	VOLUME	ART. NO.
Hydraulic oil Divinol, für diaphragm pumps	1 l	21061
Hydraulic oil, for HeavyCoat pumps	5 l	349909
Release agent	250 ml	9992504
Release oil / Messamoll	500 ml	9992505

PREMIUM SPRAY GUNS AND SYSTEM CLEANERS	VOLUME	ART. NO.
Premium spray guns and system cleaners; For cleaning and rinsing spray systems, spray guns and hoses. Ideal for 2K materials.	10 l	2356689



PLASTGUARD	VOLUME	ART. NO.
PlastGuard longlasting pump protector	5 l	2399960

SPRAYROLLER - FOR AIRLESS SPRAYING AND BACK-ROLLING

With SprayRoller from WAGNER, paint is sprayed and back-rolled at the same time in just one movement. This enables efficient coating of e.g. facades. The material is simply conveyed directly from the container by an airless diaphragm or piston pump. No need to carry heavy buckets or repeatedly dip the roller. The paint roller head is rotatable, which allows corners and edges to be optimally coated. Thanks to back-rollig movement, overspray is captured resulting in less masking effort and preparation time.




Rotatable paint roller head: for access to all corners and edges.

25 cm long frame (Ø 8 mm): for attaching many commercially available paint rollers to 8 mm frames

Exchangeable nozzle: depending on the material, a nozzle with a different orifice can be used

Roller cage variant available for rollers with a larger internal cross-section with a roller width of 38 mm (1.5 ") and 23 cm (9").



SpeedShield: thanks to compatible fittings, the SpeedShield can be used for application on corners and edges without the need for masking.

G-thread: Common connection to accessories such as reinforced nozzle extensions.

Integrated swivel joint: enables the spray head with nozzle and nozzle holder to be angled individually.

BASIC EQUIPMENT AND ACCESSORIES

SPRAYROLLER	ART. NO.
SprayRoller	-
SpeedShield	538907
TT3 415 nozzle	553415
Swivel joint	538246
SPRAYROLLER FRAME 25 CM	2411697
SPRAYROLLER FRAMER INCL. EXTENSION	2420497
SPRAYROLLER CAGE 23 CM	2418371
SPRAYROLLER CAGE INCL. EXTENSION	2420496


ACCESSORIES	ART. NO.
TipClean nozzle cleaning agent, 200 ml	2400214
Reinforced nozzle extension 0.9 m	2420538
Angle adapter	509907
TT3 nozzle, different sizes	553XXX
HEA Professional nozzle, different sizes	554XXX

INNER-FEED ROLLER – INTERNALLY FED ROLLER ATTACHMENT FOR AN APPLICATION OF PAINT WITHOUT INTERRUPTION

The Inner-Feed Roller is an internally fed roller attachment which is supplied with material directly from the original container by an airless diaphragm or piston pump. No need to carry heavy buckets or repeatedly dip the roller. The paint is supplied very simply by releasing the trigger of the airless gun. Due to the ideal paint distribution, a constant layer thickness is applied and that without dry edges or runs. Compared to working with conventional manual rollers, coating with the Inner-Feed Roller is not only of higher quality, but also up to four times faster.

23 cm paint roller: fast and easy disassembly by pressing the retaining clip.

Built-in distributor: the built-in distributor element ensures that the material is evenly distributed within the paint roller.



Easy to use: thanks to the minimalist design with exchangeable paint roller.

G-thread: enables the use of existing accessories such as airless guns or nozzle extensions.

BASIC EQUIPMENT AND ACCESSORIES

INNER-FEED ROLLER	ART. NO.
Roller frame	-
Distributor with sealing cap	2325720
Paint roller, 12 mm	0998230
INNER-FEED ROLLER 23 CM	2418370
INNER-FEED ROLLER INCL. EXTENSION	2420499

ACCESSORIES	ART. NO.
Reinforced nozzle extension 0.9 m	2420538
Angle adapter	509907
Paint roller, pile height 12 mm	0998230
Paint roller, pile height 20 mm	0245717

INLINEROLLER – ROLLING WITH AIRLESS TECHNOLOGY

Benefit from innovative pumping technology without a gun: With the WAGNER IR 100 the coating material is delivered automatically by an airless diaphragm or piston pump from the drum to the paint roller. No need to carry heavy buckets or repeatedly dip the roller. This is convenient and efficient for facade work on a scaffold. The InlineRoller is up to 30% more economical than other hand rollers when considering the same degree of paint distribution.



Integrated tool: for opening the paint distributor when attaching or detaching the paint roller and for cleaning purposes.

Light weight: thanks to the hollow aluminium design.

Handy size: The rotating joint between the handle and the extension enables you to turn the roller to the most convenient position.



Woven plush paint roller: High quality padded woven plush paint roller, also for facades. The paint distributor contains closed cavities to reduce weight.

Easily resting: The InlineRoller can be easily rested on the scaffold due to the shape of its attachment.



Bendable, flexible hose: (incl. scaffold hook) with a large radius of action for efficient application. Depending on the material and delivery pump, high pressure hoses can be connected with a length of up to 100 m.



BASIC EQUIPMENT AND ACCESSORIES

INLINEROLLER IR 100	ART. NO.
InlineRoller, complete	0345010

SCOPE OF DELIVERY - IR 100

- Woven plush paint roller, 13 mm
- Hose hook RD.4
- Paint distributor
- Extension 0.5 m, Rd. 32 x 1/8
- Dosage handle
- HP hose DN4, 27 MPa, 7.5 m, yellow
- Double connector for connecting to high-pressure hose
- Hose hook

ACCESSORIES FOR INLINEROLLER	ART. NO.
Telescoping extension complete 60-100 cm	0345901
Extension complete 1.2 m, Rd.32 x 1/8	0345916
Woven plush paint roller, padded, long pile 20 mm, incl. roller frame seal	0345902
Woven plush paint roller, padded, short pile 13 mm	0345324
Roller frame seal	0345323
Roller box D = 100 x 320	0345912

HOPPER FOR AIRLESS AND AIRCOAT

Ideal for small amounts and frequent colour changes.



HOPPER	APPLICATION	ART. NO.
Hopper 20 Litre, M36x2	SuperFinish	341266
Hopper 5 Litre, M36x2	SuperFinish	341265
Hopper 5 Litre, for F 230	Finish 230	524242
Hopper 5 Litre, with TopClean	SuperFinish	341268
Hopper 5 Litre, for PowerPainter 90 Extra	PowerPainter 90 Extra	2432122
Hopper 5 Litre, for ProSpray	All ProSpray piston pump on skid (3.20 to 3.25)	704-453
Hopper 5 Litre, for injection	SuperFinish 23 CR	2357506
Hopper 5 Litre, for pneumatic piston pumps, incl. intake elbow	Leopard, Puma, WildCat, Jaguar	2332169
Hopper 5 Litre, EX, M36 x 2	Cobra, WildCat	340265
Lid for Hopper 5 Litre, EX, M36 x 2	Cobra, WildCat	340429
Hopper 5 Litre, for Cobra	Cobra	2344505

SUCTION SYSTEMS FOR AIRLESS

For processing the material directly from the original container

SUCTION SYSTEMS	ART. NO.
Container suction system, incl. C-coupling adapter	0349907
Reduction adaptor B- to C-coupling	9991651
Blind plug for C-coupling	0097305
Container Connector, for HeavyCoat, for direct suction of the material out of the large volume container	2383128
Container Connector, for SF 27/31/33	2371930
Large volume container (100 l)	2309956
Large volume container, incl. sack support and roller press	2309960



LARGE VOLUME CONTAINER - LIGHTWEIGHT AIDE FOR LARGE AREAS

With a capacity of 100 litres the large volume container is perfectly suitable for processing large amounts of material. It impresses with its light weight and flexible fields of application. The large volume container is also available with a bag support so that the contents of the bags can be easily emptied by a roller press.

Comfortable filling: Bag support incl. roller press for easy and comfortable filling and rational material usage.

Easy cleaning: due to smooth and solvent resistant inner surface.

Extremely lightweight: thanks to plastic container with a capacity of up to 100 l.

Robust: Threaded insert made of stainless steel (B-coupling).

Suitable for building sites: and mobile thanks to the robust wheels.

Art. no. 2309960



Also available without bag support (Art. no. 2309956).



Bag support incl. guide rail for roller (Art. no. 2323178).

MATCHING ADAPTER FOR YOUR AIRLESS SPRAYING UNIT

LARGE VOLUME CONTAINERS	APPLICATION	ART. NO.
Large volume container	ProSpray 3.39, HeavyCoat and SF 33 pumps	2309956
Large volume container, incl. sack support and roller press	ProSpray 3.39, HeavyCoat and SF 33 pumps	2309960
Large volume container, incl. sack support, roller press and adapter set for HeavyCoat	HeavyCoat pumps	2309955

ADAPTER FOR LARGE VOLUME CONTAINER	APPLICATION	ART. NO.
Container Connector Ø 50 mm	SF 33 and HeavyCoat (without SSP)	2371930
Container Connector Ø 63 mm (included Ø 50 mm)	HeavyCoat SSP and PS 3.39	2383128
Container suction system, incl. C-coupling adapter, for HeavyCoat	HeavyCoat pumps	349907



Adapter for large volume container (Art. no. 2309956) inclusive ContainerConnector (Art. no. 2383128)

XVLP - ACCESSORIES



SPRAYING ATTACHMENTS	ART. NO.
Spray attachment FineSpray (01)	2321877
Spray attachment StandardSpray (02)	2321879
Spray attachment WallSpray (03)	2321880



FILTERS	ART. NO.
Air filters, 3 pieces, for FinishControl 3500 (01)	2343947
Air filters, 3 pieces, for FC 5000 (02)	2322446
Feed tube filter, fine, 5 pcs, for FinishControl spray attachments (03)	2324248
Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments (04)	2324249
Nozzle seal, for FinishControl	2323934



HOSES	ART. NO.
Air hose including handle, for FinishControl 5000	2314573



CLEANING AND STORAGE	ART. NO.
Cleaning set, for XVLP spray attachments (01)	935364
Tanos Systainer (02)	2340218



OTHER	ART. NO.
Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments (01)	2322451
Can Adapter, for FinishControl (02)	2350692

HVLP - NOZZLES

FineCoat nozzles are made of high-quality, robust metal and have an extremely easy-to-clean design. In combination with the air cap, the precise nozzle aperture enables enamel application with low overspray. Several nozzles in different sizes are available for different guns. This enables work to be carried out with a wide variety of materials.


NOZZLES FOR WSL 50/60	ART. NO.
Nozzle, d = 04 mm, 6KT.22, for WSL 50/60	261463
Nozzle, d = 06 mm, 6KT.22, for WSL 50/60	261464
Nozzle, d = 08 mm, 6KT.22, for WSL 50/60	261465
Nozzle, d = 10 mm, 6KT.22, for WSL 50/60	261466

FINECOAT RADIATOR EXTENSION NOZZLE	ART. NO.
FineCoat radiator extension nozzle RN30, only for FineCoat guns (art. no. 0277 035)	261020

NOZZLE SET FOR FINECOAT GUN	ART. NO.
Nozzle set, for FineCoat Gun, no. 2; Ø 0.8 mm	276254
Nozzle set, for FineCoat Gun, no. 3, Ø 1.3 mm	276227
Nozzle set, for FineCoat Gun, no. 4; Ø 1.8 mm	276228
Nozzle set, for FineCoat Gun, no. 5; Ø 2.2 mm	276229
Nozzle set, for FineCoat Gun, no. 6, Ø 2.5 mm	276245
Nozzle set, for FineCoat Gun, no. 7, Ø 2.7 mm	524211

NOZZLE SET FOR FINECOAT SPLIT GUN	ART. NO.
Nozzle set, for FineCoat Split Gun, no. 2; Ø 0.8 mm	529209
Nozzle set, for FineCoat Split Gun, no. 3, Ø 1.3 mm	529210
Nozzle set, for FineCoat Split Gun, no. 4, Ø 1.8 mm	529211
Nozzle set, for FineCoat Split Gun, no. 5, Ø 2.2 mm	529212
Nozzle set, for FineCoat Split Gun, no. 6, Ø 2.4 mm	529213

HVLP - ACCESSORIES



GUNS	ART. NO.
Flocking gun WF-20, 20 mm (01), for the application of dry chips to a wet undercoat	261025
FineCoat gun, 1-litre pressure cup, incl. nozzle set No. 4, for FineCoat Controller (02)	279094
FineCoat gun, material connection, incl. nozzle set No. 5, for FineCoat 9900 PowerCart (03)	277058
Gravity feed cup, for FineCoat Split Gun, 600 ml (04)	524053
FineCoat Split Gun, suction cup, 1000 ml (05)	524028
FineCoat spraying lance WSL 60 with hopper, for liquid raw fibres, texture effects or plaster, only usable with quick release coupling (art. no. 0275 625) (06)	261024
Conversion kit FineCoat Split Gun, for gravity feed cup	524045



AIR CAPS	ART. NO.
Air cap, d = 09 mm, RD45	261460
Air cap, d = 12 mm, RD45	261461
Air cap, d = 14.5 mm, RD45	261462



FILTERS	ART. NO.
Filter kit, for FC 9900 / FC 9800	279938



HOSES	ART. NO.
Air hose assy. FC 9900 Plus (01)	277236
Hose pack, consisting of material and air hose DN10, 8.2 m (02)	261255
Hose whip (03), 152 cm, for FineCoat	0524405A



OTHER	ART. NO.
Cleaning kit for HVLP and XVLP spraying guns	2354639
Remote pressure pot (01), for FineCoat	524232

PLASTER SPRAYING – NOZZLES

1. Texture nozzles for plaster spraying

The robust texture nozzles for plastering work with worm pumps are perfectly tailored to the automatic and pneumatic spraying lances. Made from high-quality stainless steel, they are extremely robust and resistant even when used with filled media. A choice of sizes are available to ensure ideal adaptation to each material. The nozzles are available individ-ually or in a nozzle set.



TEXTURE NOZZLES	ART. NO.
Texture nozzle, stainless steel, 04 mm	268779
Texture nozzle, stainless steel, 06 mm	268780
Texture nozzle, stainless steel, 08 mm	268781
Texture nozzle, stainless steel, 10 mm	268782
Texture nozzle, stainless steel, 12 mm	342327
Texture nozzle, stainless steel, 15 mm	342328
Texture nozzle set, stainless steel, 4/6/8/10 mm	268905

2. In-wall nozzles for plaster spraying

Specially designed for in-wall work. The nozzles allow very high coating thicknesses.



IN-WALL NOZZLES	ART. NO.
In-wall nozzle, 14 mm	268746
In-wall nozzle, 16 mm	268747
In-wall nozzle, 18 mm	268748

PLASTER SPRAYING - ADDITIONAL ACCESSORIES

01



COMPRESSORS	ART. NO.
Compressor C 330/03 (01)	2337718

PLASTER SPRAYING - ADDITIONAL ACCESSORIES

01



02



03



04



SPRAYING LANCE	ART. NO.
Spraying lance, automatic, incl. 6 mm nozzle (01)	2334115
In-wall lance, automatic (02)	2334121
In-wall lance, pneumatic	2334122
Glue attachment	2335394
Fill and dosing attachment(03)	2335388
Angle head 70°	2337672
Spray lance extension, 80 cm (04)	2334123
Spraying lance extension, 150 cm	2339400
Spraying lance extension, 200 cm	2334124



HOSES	ART. NO.
Air hose DN9, 10.5 m	2311644
Mortar hose DN19, M/V25, 10 m incl. air hose	2325194
Mortar hose DN19, M/V25, 10 m, incl. air hose and control cable	2325193
Mortar hose DN19, M/V25, 2 m incl. swivel joint, including air hose	2324927
Mortar hose DN19, M/V25, 2 m incl. swivel joint, including air hose and control cable	2334131
Mortar hose DN25, M/V25, 10 m incl. air hose	2325182
Mortar hose DN25, M/V35, 10 m, including air hose and control cable	2325197
Mortar hose DN35, V35, 13.3 m, incl. air hose	2363405
Mortar hose DN35, V35, 13.3 m, incl. air hose and control cable	2325199
HP hose Ø19, 10 m	2390763
HP hose whip DN10, 2.5 m	2390762

01



02



03



PUMP CASINGS AND PUMP WORMS	ART. NO.
Pump casing W10/2.5, 270x89, black, for PC 1030 / PC 25 / PC 35 (01)	348311
Pump casing W10/3, 270x89, yellow, for PC 1030 / PC 25 / PC 35	348315
Pump casing W15/2, 270x89, brown, for PC 1030 / PC 25 / PC 35 (02)	348925
Pump casing, for PC 430 / PC 830	2304954
Pump worm W10/2.5, Ø = 40 mm, L = 317 mm, black, for PC 1030 / PC 25 / PC 35	348312
Pump worm W10/3, Ø = 40 mm, L = 320 mm, yellow, for PC 1030 / PC 25 / PC 35 (03)	348316
Pump worm W15/2, Ø = 40 mm, L = 320 mm, brown, for PC 1030 / PC 25 / PC 35	348926
Pump worm, for PC 830	2304986
Rotor D8-1.5	2385520
Stator D8-1.5	2385532
Servicset Stator and Rotor, PC HP 30	2395996

SPRAYKITS – PERFECTLY TAILORED TO EVERY APPLICATION



ENAMEL KIT (DN4)
FOR ALL SUPERFINISH
PUMPS

Suitable for SF 23 Plus, SF 33, SF 27, SF 31.

- HP hose DN4, NPSM 1/4", 7.5 m (max 27 MPa)
- Vector Pro gun
- Nozzle extension G-thread 15 cm
- FineFinish TT3 nozzle 308 (enamel)
- FineFinish TT3 nozzle 412 (filler)
- TipClean 200 ml
- Filter red (10 pieces)
- Hopper 5 litre, M36 x 2

SPRAYKIT	ART. NO.
Enamel Kit (DN4)	2406207



ENAMEL KIT (DN4)
FOR PROSPRAY PUMPS


Suitable for PS 20, PS 3.20, PS 3.21, PS 3.25 on skid.

- HP hose DN4, NPSM 1/4", 7.5 m (max 27 MPa)
- Vector Pro gun
- Nozzle extension, G-thread, 15 cm
- FineFinish TT3 nozzle 308 (enamel)
- FineFinish TT3 nozzle 412 (filler)
- TipClean 200 ml
- Filter red (10 pieces)
- Hopper 5 litre, for ProSpray
- Hopper filter package

SPRAYKIT	ART. NO.
Enamel Kit (DN4)	2406206



SPRAYKITS – PERFECTLY TAILORED TO EVERY APPLICATION




HEA KIT (DN6)
FOR ALL PUMPS WITH 1/4"
CONNECTORS

Suitable for all SuperFinish and ProSpray pumps, as well as Powerpainter 90

- HP hose DN 6, NPSM 1/4", 15m (max. 27 bar)
- Vector Pro gun
- Nozzle extension G-thread 15 cm
- Nozzle - HEA ProTip 517
- Nozzle - HEA ProTip 311
- TipClean 200 ml
- Filter white (10 pieces)

SPRAYKIT	ART. NO.
HEA Kit (DN6)	2408212



EMULSION KIT (DN6)
FOR ALL PUMPS WITH 1/2"
CONNECTORS


Incl. suitable adapter and 2x adjustable wrench.
Suitable for PS 3.39, HC 750, HC 970, HC 950 SSP.

- Transition fitting (F) NPSM 1/2" to (M) NPMS 1/4"
- 2x HP hose DN6, NPSM 1/4", 15 m (max 27 MPa / 270 bar)
- Double connector 1/4" NPSM
- Vector Grip gun
- Nozzle extension, G-thread, 15 cm
- Nozzle extension, G-thread, 30 cm
- Nozzle - HEA 519
- Nozzle - TT3 427
- TipClean 200 ml
- 2x adjustable wrench
- Filter white (10 pieces)

SPRAYKIT	ART. NO.
Emulsion Kit (DN6)	2406208



SPRAYKITS – PERFECTLY TAILORED TO EVERY APPLICATION



EMULSION KIT (DN10) FOR PLASTCOAT HP 30

With HEA technology, PC HP 30 can also be used to apply emulsion paints with the best surface quality.

- HP hose DN10, max. 25 MPa (250 bar), NPSM 3/8", 15 m
- Vector Pro gun
- Nozzle - HEA ProTip 517
- Adapter FM 1/2BSPP-3/8NPSM
- Adapter FM 1/4 NPSM-3/8NPSM



SPRAYKIT	ART. NO.
Emulsion Kit (DN10)	2400684



FILLER KIT (DN10) FOR ALL PUMPS WITH 1/2" CONNECTIONS

Incl. suitable adapter and 2x adjustable wrench. Suitable for PS 3.39, HC 750, HC 970, HC 950 SSP.

- Transition fitting (F) NPSM 1/2" to (M) NPSM 3/8"
- HP hose DN10, NPSM 3/8", 15 m (max 25 MPa / 250 bar)
- Double connector 3/8" NPSM to 1/4" NPSM
- AG 14 gun (G-thread)
- Nozzle extension, G-thread, 30 cm
- Nozzle - TT3 335
- Nozzle - TT3 439
- TipClean 200 ml
- 2x adjustable wrench
- Filter white (10 pieces)



SPRAYKIT	ART. NO.
Filler Kit (DN10)	2406209

SPRAYKITS – PERFECTLY TAILORED TO EVERY APPLICATION



2GUN KIT - CONNECTION OF UP TO THREE GUNS ON ONE DEVICE

Suitable for: all Heavy Coat pumps, SF33 as well as PS 3.31 upwards

- Adapter for multi-gun operation (for max. 3 guns)
- 1x Vector Grip gun
- HP hose DN6,NPSM 1/4", 15 m (max 27 MPa)
- Double connector



COMPLETE	ART. NO.
2Gun Kit	2413598



SERVICESETS

PAINT STAGE ICEBREAKER PISTON PUMPS	ART. NO.
Service set pump PP40 ccm PE + TG, Wildcat, Puma	367990

AIR MOTOR ICEBREAKER PISTON PUMPS	ART. NO.
Service set air motor 4"/75, Wildcat, Puma	367995

PNEUMATIC DOUBLE DIAPHRAGM PUMP COBRA	ART. NO.
Service set 3"/53 air motor, Cobra 40-10	322995
Service set Cobra 40-10 outlet valve	322915
Service set Cobra 40-10 inlet valve	322914
Service set Cobra 40-10 diaphragm set, with insert	322913

FINECOAT	ART. NO.
Service kit, for FC gun with pressure cup	295981

SUPERFINISH	ART. NO.
Pressure regulator compl. F230	508138
Service kit outlet valve F 250 / F 270 / SF 21 to SF 31 / SF 23 Plus	341702
Service kit outlet valve F 230	508198
Depressor housing service kit, for SF 21 to SF 31	341705
Inlet valve complete service set F 250 / F 270 / SF 21 / SF 23 / SF 23 Plus	344700
Inlet valve complete service kit SF 27 / SF 31	341247
Inlet valve pusher complete service kit F 250 / F 270 / SF 27 / SF 31	341241
Relief valve service kit F 230	508199
Inlet valve pusher complete service kit SF 33	2337033

SERVICESETS

PROSPRAY	ART. NO.
Packings service kit for ProSpray 3.21 / 3.23 / 3.25	290201
Packings service kit for ProSpray 3.29 / 3.31 / 3.34	508221

HEAVYCOAT	ART. NO.
High-pressure filter service kit	349700
Service set, large, HC 950 SSP (incl. piston w. pin)	537901
Service set, large, HC 970 SSP (incl. piston w. pin)	537900
Service kit inlet valve - shovelvalve, HC 940 / HC 960 E SSP	349719
Relief valve service kit HC 920 - 960 E/G + SSP	349706
Material feed pump service kit, HC 920 E/G	528105
Service kit packings and shovelvalve HC 950 / HC 970 E/G+SSP	528705
Shovel piston service kit, HC 940 / HC 960 E SSP	349718
Service kit valves and packings, HC 920 E/G	528104
Service kit valves and packings, HC 940 E/G+SSP / 960 E/G+SSP	528101

GUNS	ART. NO.
Ball Valve Kit, Vector Grip	538227
Service set, Vector Pro	538225
Service set AG 08, F-thread	556039
Service set AG 08, G-thread	556038
Service set AG 14, F-thread, 1-hole diffuser	502149
Service set AG 14, G-thread	502144
Service set AG 14, G-thread, 1-hole diffuser	502175
Service set AG 19, F-thread	2347489
Service set AG 19, G-thread	2348175
Service set pole gun, 120 mm	286935
Service set pole gun, 200 mm	286936
Sevice set AC 4600 P	394942

BE UNSTOPPABLE!

VISIT US AT

